



Sports & Youth Services Department
Government of Odisha
Kalinga Stadium, Nayapalli, Bhubaneswar –751012
E-mail: deptsportsodisha@gmail.com

SYS-INFRA-MISC-0002-2024/ 6320

Dated: 16/02/2024

RFP for Supply, Installation and Maintenance of Indoor Gym Equipment for Sports Hostels, GCPE & Hockey Training Centers (HTCs) for Department of Sports and Youth Services, Govt of Odisha.

Corrigendum

After careful consideration of the suggestions received by the Sports and Youth Services Department, Government of Odisha to the queries of the bidders, the original SYS-INFRA-MISC-0002-2024/4148/SYS, Dated: 01/02/2024, is hereby modified to the extent as detailed in following points. The corrigendum so adopted, shall be considered to be part of the RFP.


Joint Secretary to Government
Sports & Youth Services Department

**Corrigendum on Request for Proposal for Supply, Installation and Maintenance of Indoor Gym Equipment for Sports Hostels,
GCPE & Hockey Training Centers (HTCs) for Department of Sports and Youth Services, Government of Odisha**

Sl. No	RFP Ref No	Original Clause	Query	Response / Modified Clause
1	I	Tender Requirements	28	The agency will be required to supply and install this equipment at place within 30 days of award of the tender
				The agency will be required to supply and install this equipment at place within 45 days of award of the tender
2	G	Eligibility Criteria	22	The Bidder should have an experience of supplying Indoor Gym Equipment as per the BOQ mentioned in the RFP for a minimum single Work Order contract value of Rs 1cr during the last 3 years
				The Bidder should have an experience of supplying Indoor Gym Equipment as per the BOQ mentioned in the RFP for a minimum single Work Order contract value of Rs 1cr during the last 3 years to any PSU/ Sports Authorities / State Government / State Association / National Government / National Federation / International Federation / State event / National Event / International Event will only be eligible or Experience of Supply of Indoor Gym Equipment to Private Gyms/Private Sector will also be accepted

Sl. No	RFP Ref No	Original Clause		Query	Response / Modified Clause	
3		G	Equipment Certification	<p>•Items should have mandatory Valid Regulatory certificates of, BS EN ISO 20957-2:2021</p> <p>•BS EN ISO 20957-2:2021 certificate must be at least 9 Months old from the date of the bid published</p> <p>•Bidder/ OEM should have valid ISO 9001:2015 & ISO14001:2015 certificate</p>	<p>BS EN ISO 20957 standards are applicable in the European Nations and there is no equivalent standardization framework in India. It is important for us to acknowledge that the applicability of BS EN ISO 20957 standards in India is not feasible due to the absence of a regulatory mechanism to enforce them as of now.</p> <p>We adhere to the following below listed standards:</p> <ul style="list-style-type: none"> • ISO 45001:2018 • ISO 9001:2015 • ISO 14001:2015 • CE 	RFP conditions shall prevail.
4		H	Evaluation Criteria	<p>24</p> <p>Indoor Gym Equipment Supplied to any PSU/ Sports Authorities / State Government / State Association / Central Government / National Federation / International Federation / State event / National Event / International Event during the last 7 years (The Minimum value of each Work Order/Agreement to be submitted is with a minimum value of 1 crore).</p> <ul style="list-style-type: none"> • 1 work order - 10 marks • 2 work orders – 15 marks • 3 or more work orders – 20 marks 	<p>Individual order values of supply to government bodies may not exceed 1 Crore. We have cumulatively delivered equipment of significant value to various government recognized bodies.</p>	RFP conditions shall prevail

Sl. No	RFP Ref No	Original Clause	Query	Response / Modified Clause			
5	Annexure VIII	15	Requirement of Indoor Gym Equipment	42	<p>GHD Bench:</p> <ul style="list-style-type: none"> •Frame - 100 x 50 mm Flat Oval Tube, 2.5mmthickness min •Paint Finish - 2 Tone Electrostatic Powder Coat •Upholstery: Cushion & Pads made of 2" High Density foam & 18mm marine plywood, covered with heavy double stitched leatherite rexine. •Floor Protection: High Density PVC Foot Guard •Adjustable Position: 4 Seat Pad position and 7Back Pad Positions adjustments for precise positioning •The Seat Pad Adjustments from - 15 deg to - 80Deg while back Pad adjusts from 3 seat angle adjustment •Futures: Leg hold pad support for balancing the decline workouts •Dimension: 1420*670*1400 mm (L x W x H) •Product Weight: 46kg •Product certification: BS EN ISO 20957-2:2021 <p>Olympic Full Rack</p> <ul style="list-style-type: none"> •With Platform: Lift area made of 25mm heavy laminated wood board & drop area made of 25mm rubber •Main frame Size: 72 *72 with 3mm thickness •Base frame: 100*50mm size with 3mm thickness •Pull up bar: 33mm dia with 3mm thickness •Bar holding adjustment levels: 15 level •Handles / Grips: Grips Non- 	<p>GHD bench is different but specification given for multi adjustable flat/incline/decline bench specification. Please clarify Whether asked for GHD bench or Adjustable bench. (item no.18 also asked same specification name of flat and incline and decline (fid) adjustable bench</p>	<p>Please refer to attached Annexure I</p>
6	Annexure VIII	16	Requirement of Indoor Gym Equipment	43	<p>Olympic Full Rack</p> <ul style="list-style-type: none"> •With Platform: Lift area made of 25mm heavy laminated wood board & drop area made of 25mm rubber •Main frame Size: 72 *72 with 3mm thickness •Base frame: 100*50mm size with 3mm thickness •Pull up bar: 33mm dia with 3mm thickness •Bar holding adjustment levels: 15 level •Handles / Grips: Grips Non- 	<p>As per tender specification asked half rack machine, because full rack machine weight come more than 270kg. here mentioned 125kg name of Olympic full rack. Kindly need clarification whether asked Olympic full rack or half rack. If asked full rack kindly increase the product weight more than 270kg</p>	<p>Please refer to attached Annexure I</p>

Sl. No	RFP Ref No	Original Clause		Query	Response / Modified Clause
7	Annexure VIII	19	44	<p>As per product name missed storage dumbbell capacity count. Instead of dumbbell count asked the weight plate horns quantity 8 nos. Kindly need clarification (in generally 2 tire dumbbell rack storage capacity will come 12 pairs)</p>	<p>Please refer to attached Annexure I</p>
8	Annexure VIII	32	48	<p>As per specification asked magnetic control spin bike. Kindly need product unit weight. Because in market branded product cycle weight it will come minimum of 55kg and non-branded products start from 45kg to 50kg.</p>	<p>Please refer to attached Annexure I</p>

Original Clause

2 Tire Dumbbell Rack (14 Pair)

- 2 Tier dumbbell rack
- Frame - 100 x 50 mm Flat Oval Tube, 2.5mm thickness min
- Paint Finish - 2 Tone Electrostatic Powder Coat
- Floor Protection: High Density Rubber Foot Guard
- Rubber bumpers on horns to protect frame finish
- 8 Chromed Storage Horns for Olympic Plates
- Machine weight: 30kg
- Dimension (L x W x H): 2172*864*2337mm
- Product certification: BS EN ISO 20957-2:2021

Spin Cycle

- Magnetic Control Spin Bike
- Rear Wheel Drive for smooth and natural motion
- Drive System - Belt
- Seat - Ergonomic Seat
- Handal Bars - Rubber coated multi- position handlebar
- Adjustment Handle: Up / Down and Front / Rear Adjustment.
- Aluminum Seat Handle: Up / Down and Front /Rear Adjustment. Aluminum Material
- Drive Shaft - 45Dia
- Crank Thickness - 14mm
- Peals - Aluminum Dual-Side pedal with Strap
- Bottle Holders - yes
- Rear Wheel - Aluminum Material
- Resistance Control - Smooth Up and Down Resistance Control
- Moving Wheels

Sl. No	RFP Ref No	Original Clause	Query	Response / Modified Clause
		<p>Absorbing PVC compound retained with aluminum end Cup</p> <ul style="list-style-type: none"> •4 integrated weight storage harms to hold multiple weight plate sizes •Paint Coating: 2 Coat Mat finished Powder Coated System for long life •Futures: J Hook with HDPE protector, Olympic rod storage and heavy-duty spotter arm 4*4 inch •Machine weight: 125kg •Dimensions(L*W*H): 1560 * 1760 * 2320mm •Product certification: BS EN ISO 20957-2:2021 •Power rack accessories pack including: Multi grip dip, barbell pivot, band attachment, weight storage, barbell storage, external J hook support, foldable footplates •Barbell pivots can accommodate 50mm or small barbells to perform variety of exercise •Weight storage on power rack is able to store upto 300 kgs on each side •Product certification: BS EN ISO 20957-2:2021 		

Sl. No	RFP Ref No	Original Clause	Query	Response / Modified Clause	
9	Annexure VIII	35 Requirement of Indoor Gym Equipment	50	<p>Multi Station</p> <ul style="list-style-type: none"> •Workout Chart shall be on the machine for easy understanding. •Upholstery: Shall be High Grade double stitched •Cable: 5mm Steel Wire with PU coating, Tensile Strength of 2200Lbs Weight loading capacity •Floor protection: Rubber Sheet For floor protection •Water bottle holder in 2 sides •Station-1 •Lat pull down •Stack weight 100kg •Pulley movement: swaying type Dual closed pulley movement for smooth workout balance •Workout support: leg holder pad for heavy workout support •Handles Grips: Grips shall be Non-Absorbing PVC compound retained with end Aluminium Cup for longs lasting life •Station -2 •Triceps workout Stock weight:100kg •Pulley movement: single closed pulley movement support for rope safe traveling •Workout support: Back pad support for avoiding the injuries •Accessories: 300kg load capacity triceps rope included •Station-3 •Seated rowing •Stack weight: 100kg •Long height durable seat support for variant height users •Pulley movement: swaying type dual pulley movement will give natural workout movement 	<p>As specification of product is right but half specification is hidid in tender sheet Current visible specification showing completely un standard make product. requesting you cross check the full specification. (missing specification-product weight, dimension, weight stack capacity and frame size etc..</p> <p>Please refer to attached Annexure I</p>

Sl. No	RFP Ref No	Original Clause	Query	Response / Modified Clause
			<ul style="list-style-type: none"> •Leg balancing support give more effective during heavy load •Accessories: heavy duty D rope handle included •Station-4 •Cable column for Hi/Low Cross •Stack weight: 100kg •Pulley adjustment: 32 level with saying pulley movement •Adjustable Guide Rod: Stainless steel 70*30mm pipe size •Features: <ul style="list-style-type: none"> •having provisions to upgrade cable cross over machine in future •Product certification: BS EN ISO 20957-2:2021 •Tolerance of +/- 10% for dimensions and weight for the specifications mentioned above shall be considered. 	
10	Annexure VIII	36 Requirement of Indoor Gym Equipment	51 <ul style="list-style-type: none"> •Plate Loaded Machines •Main Frame Size: 100x50 mm Oval Frame x 3mm and more Thickness Minimum •Travel Track: 60mm Diameter Polished Chrome Plated Pipe •Load carrying carriage shall have heavy duty nylon roller (Size5 Position Adjustable Back Rest •Dual Starting point and 2 adjustable stop points to accommodate users of all sizes •Easy to use Racking Mechanism with Aluminium handles •Large Non-Skid Foot Platform to accommodate variety of movements •4 integrated weight storage harms to hold multiple weight plate sizes 	<p>Kindly clarify the product weight. As per specification we understand product weight maybe come more than 250 kg.</p> <p>Please refer to attached Annexure I</p>

Sl. No	RFP Ref No	Original Clause	Query	Response / Modified Clause
		<ul style="list-style-type: none"> • Rubber Sheet For floor protection • Load Carrying Capacity: 500 Kgs • Dimension (L x W x H): 2693**1423**1448 mm • Product certification: BS EN ISO 20957-2:2021 - 		
11	Annexure VIII	<p>40 Requirement of Indoor Gym Equipment</p> <p>52</p> <p>Leg Press / Calf Raise</p> <ul style="list-style-type: none"> • Main Frame Size: 140x50 mm Oval Frame of 3mm • Thickness. Heavy metal bending technology to ensure superior strength & to eliminate joint failure. • Seat adjustment: Back seat support adjustable upto 80deg to 2deg • Hack squat support: 2 pad support for shoulder and 1 pad for neck support • Workout: seated leg press, calf raise & covered with hack squat • Travel track: SS 304 or chromed material with dual guide rod size of 28mm or more • Leg plat form: Dual or multiple position large size pad with curved pattern support for multiple leg group muscle • Bearing: high grade leaner bearing • Weight Stack: 308 Lbs Steel Weight Stack with Bushing for smooth workout • Cable: 5mm Steel Pre-Lubricated Wire with PU coating, • Tensile Strength of 2200Lbs Weight loading capacity • Pulley - Fiberglass Reinforced 	<p>As per specification asked seated leg press/ hack squat machine. tender product name mentioned leg press / calf raise. Kindly clarify</p>	<p>Please refer to attached Annexure I</p>

Sl. No	RFP Ref No	Original Clause	Query	Response / Modified Clause
		<p>Nylon Bearing Pulley with fully covered with nylon cap.</p> <ul style="list-style-type: none"> •Paint Coating: 2 Coat Mat finished Powder Coated System for long life •Shrouds: Material – fiberglass Fully Covered in front and back side •Shall have Water bottle / Mobile holder provision •Workout Chart shall be on the machine for easy understanding •Handles and support rod Grip: Grips shall be Non-Absorbing PVC compound retained with end Aluminium Cup for longs lasting life •Upholstery: Cushion & Pads made of 2" High Density foam & 18mm marine plywood, covered with heavy double stitched leatherite rexine. •Machine Dimension: Minimum: 1983*1022*1602mm •Machine weight: 311kg •Product certification: BS EN ISO 20957-2:2021 •Tolerance of +/- 10% for dimensions and weight for the specifications mentioned above shall be considered. 		

ANNEXURE I (Modified Requirement of Indoor Gym Equipment)

SI No.	Name of the Equipment / Item	Technical Specifications	Nos
1.	Dual Adjustable Pulley/DAP Performance (+Weight Stack)	<ul style="list-style-type: none"> • Main Frame Size: 100x50 mm Oval Frame of 3MM Thickness. Heavy metal bending technology to ensure superior strength & to eliminate joint failure • Coating: 2 Coat Powder Coated System for scratch resistance and long life • Rubber Sheet For floor protection • Dual Weight Stacks – Each 100kgs • Wide range of pull up Bars • Pulley - Fiberglass Reinforced Nylon Bearing Pulley • Adjustment: Each side 35 level of Independent multi-position pulley columns which can allow single and dual exercise options • Swivel Handles Proved Free and Natural movement • Standard Accessories: 3ft Flat Push-up Bar 1 no, Dhandle rope 2 nos, chest workout rope 2nos and Triceps bar 1 no • Shrouds: Material - Steel Sheet Fully Covered Front and Back Shrouds • Exercise Placard (Workout Chart) • Machine Dimension (L x W x H): 2173*861*2342mm • Machine weight: 421 kgs • Accessories: Sports Bar, Dap Bar, Tricep Straps, Thigh Straps, Ankle Strap - 1 Pc Each • Product certification: BS EN ISO 20957-2:2021 • Tolerance of +/- 10% for dimensions and weight for the specifications mentioned above shall be considered. 	23
2.	Kneeling Easy Chin Dip	<ul style="list-style-type: none"> • Frame Size- 100 x 50 mm Flat Oval Tube, 2.5mm thickness • Finish - 2 Tone Electrostatic Powder Coat 	19

Sl. No	RFP Ref No	Original Clause	Query	Response / Modified Clause
			<p>Nylon Bearing Pulley with fully covered with nylon cap.</p> <ul style="list-style-type: none"> •Paint Coating: 2 Coat Mat finished Powder Coated System for long life •Shrouds: Material – fiberglass Fully Covered in front and back side •Shall have Water bottle / Mobile holder provision •Workout Chart shall be on the machine for easy understanding •Handles and support rod Grip: Grips shall be Non-Absorbing PVC compound retained with end Aluminium Cup for longs lasting life •Upholstery: Cushion & Pads made of 2" High Density foam & 18mm marine plywood, covered with heavy double stitched leatherite rexine. •Machine Dimension: Minimum: 1983*1022*1602mm •Machine weight: 311kg •Product certification: BS EN ISO 20957-2:2021 •Tolerance of +/- 10% for dimensions and weight for the specifications mentioned above shall be considered. 	

		<ul style="list-style-type: none"> • Upholstery: Cushion & Pads made of 2" High Density foam & 18mm marine plywood, covered with heavy double stitched leatherette rexine. • Floor Protection: High Density PVC Foot Guard • Compact Design that allows user to perform dips, chin ups, leg raises and ab crunch • Dual Function support pad for both Vertical knee Raise and Ab Crunch Exercise • Angled Arm Rest to offer stable positioning for Vertical knee Raise Exercise. • Dimension: 49" x 43" x 85" minimum (L x W x H) • Stack Weight: 98 Kg • Machine weight: 240 kg • Product certification: BS EN ISO 20957-2:2021 • Tolerance of +/- 10% for dimensions and weight for the specifications mentioned above shall be considered. 	
3.	<p>Left Adductor/ Abductor Machine</p>	<ul style="list-style-type: none"> • Main Frame Size: 140x50 mm Oval Frame of 3 mm Thickness. Heavy metal bending technology to ensure superior strength & to eliminate joint failure. • Leg Arm movement pipe size: 50mm round pipe of 3mm thickness • Leg pad adjustment levels: 2 level for short and height users • Weight Stack: 231 Lbs Steel Weight Stack with Bushing for smooth & Noiseless workout • Cable: 5mm Steel pre lubricated Wire with PU coating, Tensile Strength of 2200Lbs Weight loading capacity • Pulley - Fiberglass Reinforced Nylon Bearing Pulley with fully covered with nylon cap. • Paint Coating: 2 Coat Mat finished Powder Coated System for long & scratch proof life • Shrouds: Material – fiberglass Fully Covered in front and back side • Shall have Water bottle / Mobile holder provision • Workout Chart shall be on the machine for easy understanding • Workout Future: sitting and standing supporting with handlebars • Upholstery: Cushion & Pads made of 2" High Density foam & 18mm marine plywood, covered with heavy double stitched leatherette rexine. • Machine Dimension: Minimum 1536*730*1689mm • Machine weight: 250kg or more. • Product certification: BS EN ISO 20957-2:2021 	29

		Tolerance of +/- 10% for dimensions and weight for the specifications mentioned above shall be considered.	
4.	Plate Tree	<ul style="list-style-type: none"> • Frame - 100 x 50 mm Flat Oval Tube, 2.5mmthickness min • Paint Finish - 2 Tone Electrostatic Powder Coat • Floor Protection: High Density Rubber Foot Guard • Rubber bumpers on horns to protect frame finish • 8 Chromed Storage Horns for Olympic Plates • Machine weight: 30kg • Dimension (L x W x H): 2172*864*2337mm • Product certification: BS EN ISO 20957-2:2021 <p>Tolerance of +/- 10% for dimensions and weight for the specifications mentionedabove shall be considered.</p>	57
5.	10 Place BarbellRack	<ul style="list-style-type: none"> • Frame - 100 x 50 mm Flat Oval Tube, 2.5mmthickness min • Paint Finish - 2 Tone Electrostatic Powder Coat • Floor Protection: High Density Rubber Foot Guard • Capacity: 10 Barbells Holder - 5 Each Side • Finishing: Barbell holder shall be Chrome Finish • Dimension: 37"x 36"x 65" minimum (L x W x H) • Product Weight: 35kg • Product certification: BS EN ISO 20957-2:2021 <p>Tolerance of +/- 10% for dimensions and weight for the specifications mentionedabove shall be considered.</p>	31
6.	Gym Sled	<ul style="list-style-type: none"> • Product weight – 31 kg • Dimension: 1000*600*1000mm • Weight capacity- 100kg or more • Product certification: BS EN ISO 20957-2:2021 <p>Tolerance of +/- 10% for dimensions and weight for the specifications mentionedabove shall be considered.</p>	53
7.	Smash Ball Set (2kg, 4kg,6kg, 8kg, 10kg,12kg, 15kg, 20kg)	<ul style="list-style-type: none"> • Strong rubber construction • Ideal for slamming/Smashing exercise • Product certification: BS EN ISO 20957-2:2021 • One Set comprises of 8 numbers of smash balls each of 2kg, 4kg, 6kg, 8kg, 10kg, 12kg, 15kg and 20kg. 	114

8.	Medicine Ball Rack (10Balls per set)	<ul style="list-style-type: none"> • Pipe material – MS pipe • Capacity- 10 nos 5nos each side • Pain finishing: powder coating • Product weight: 15kg Product certification: BS EN ISO 20957-2:2021	74
9.	Swiss Balls - 2 sizes each (Medium – 55 cm & Large -65 cm & XL – 75cm)	<ul style="list-style-type: none"> • Material: Anti-burst PVC technology • Thickness – 2mm • Weight capacity- 300kg • Futures - Exercise guide is printed on the gym ball • Package including Pump • Anti-Burst & Sturdy Anti-Slip Design • Product certification: BS EN ISO 20957-2:2021 • Size of Medium – 55 cm, Large – 65 cm and XL -75 cm. One set comprises of 3 balls one each of Medium, Large and XL size.	97
10.	Exercise Mats	<ul style="list-style-type: none"> • Material: TPE material (Thermoplastic Elastomers) • Grip – nonslip grip and tear resistance .6 to 1.2kg • Thickness:6mm Product certification: BS EN ISO 20957-2:2021	1400
11.	Balance Domes	<ul style="list-style-type: none"> • Color: purple • Material: PVC and Polypropylene with anti-slip grip • Product weight:5kg • Weight capacity: 300kg Product certification: BS EN ISO 20957-2:2021	144
12.	Power Bands (Black)	<ul style="list-style-type: none"> • Texture: Comfortable and Non-slip Material: • Natural rubber Latex • Weight: 37 to 67 kg Product certification: BS EN ISO 20957-2:2021	239
13.	Power Bands (Red)	<ul style="list-style-type: none"> • Texture: Comfortable and Non-slip • Material: Natural rubber Latex 	239

		<ul style="list-style-type: none"> • Weight: 18 to 42 kg • Product certification: BS EN ISO 20957-2:2021 	
14.	Power Bands (Green)	<ul style="list-style-type: none"> • Texture: Comfortable and Non-slip • Material: Natural rubber Latex • Weight: 6 to 13 kg • Product certification: BS EN ISO 20957-2:2021 	239
15.	GHD Bench	<ul style="list-style-type: none"> • Glute Ham Developer (Hamstring, Back and Abs Hyperextension Bench - GHD Exercise Machine) • Commercial Quality • Total Weight of Machine – 55 to 65 kg • Dimension <ul style="list-style-type: none"> 170 to 180 cm (Length) 75 to 80 cm (Weight) 105 to 110 cm (Height) • Footplate Size – 25 to 50 cm • Heavy Metal Tube – 50 x 70 x 20 mm (+/- 10%) • Single Unit Machine • Product certification: BS EN ISO 20957-2:2021 	57
16.	Olympic Full Rack (Squat) with lift Platform	<ul style="list-style-type: none"> • Lift area made of 25mm heavy laminated wood board and drop area made of 25mm Rubber • Cage Squat Rack Station with 7 feet weight holder with Adjustable height • Machine Cage Specification (5 to 7mm gauge steel frame) <ul style="list-style-type: none"> Length – 2000 to 2400 mm Weight – 1800 to 2300 mm (Rack Distance) Height – Greater than 2400 mm • Max Training Weight – Greater than 350 kg • Machine Weight – Greater than 240 kg • Weight Storage – 8 to 10 Weight Horn • Electrostatic Powder coat Finish • 2 Bar Catch 	42

		<ul style="list-style-type: none"> • 2 Bar Support • Pull Up Bar • Product certification: BS EN ISO 20957-2:2021 	
17.	Power Rack Accessories Pack	<ul style="list-style-type: none"> • Power rack accessories pack including: Multi grip dip, barbell pivot, band attachment, weight storage, barbell storage, external J hook support, foldable footplates • Barbell pivots can accommodate 50mm or small barbells to perform variety of exercise • Weight storage on power rack is able to store upto 300 kgs on each side • Product certification: BS EN ISO 20957-2:2021 	29
18.	Flat Incline and Decline (FID) Bench/ Adjustable Bench	<ul style="list-style-type: none"> • Frame - 100 x 50 mm Flat Oval Tube, 2.5mm thickness min • Paint Finish - 2 Tone Electrostatic Powder Coat • Upholstery: Cushion & Pads made of 2" High Density foam & 18mm marine plywood, Covered with heavy double stitched leatherette rexine. • Floor Protection: High Density PVC Foot Guard • Adjustable Position: 4 Seat Pad position and 7 Back Pad Positions adjustments for precise positioning • The Seat Pad Adjustments from -15 deg to - 80 Deg while back Pad adjusts from 3 seat angle adjustment • Futures: Leg hold pad support for balancing the decline workouts • Dimension: 1420*670*1400 mm (L x W x H) • Product Weight: 46kg • Product certification: BS EN ISO 20957-2:2021 	16
19.	2 Tire Dumbbell Rack (14 Pair)	<ul style="list-style-type: none"> • 2 Tier dumbbell rack • Frame - 100 x 50 mm Flat Oval Tube, 2.5mm thickness min • Paint Finish - 2 Tone Electrostatic Powder Coat • Floor Protection: High Density Rubber Foot Guard • Rubber bumpers on horns to protect frame finish • 8 Chromed Storage Horns for Olympic Plates • Machine weight: 30kg • Dimension (L x W x H): 2172*864*2337mm • Product certification: BS EN ISO 20957-2:2021 	56

20.	Dumbbell Set in Pair (2.5- 32.5Kg, Increment of 2.5 Kg)	<ul style="list-style-type: none"> Hexagonal shape Steel coated with Hard welding & impact resistant TPU at both ends Won't release any smell Accurate weight Product certification: BS EN ISO 20957-2:2021 	56
21.	Set Urethane EncasedNew Disks 50mm (1.25 kg-20 kg)	<ul style="list-style-type: none"> Steel coated with Hard-weing & impact resistant virgin rubber Won't release any smell Accurate weight Product certification: BS EN ISO 20957-2:2021 	26
22.	Olympic Power Bar HC- Diameter-50 MM (20kg, 15kg, and 10kg)	<ul style="list-style-type: none"> Olympic Rod with Brass Bearing to ensure free movement Product certification: BS EN ISO 20957-2:2021 20 Kg – 7.2 ft (Length) with 50mm sleeves & 28mm centered rod with knurling to ensure superior grip 15 Kg – 6.6 ft (Length) with 50mm sleeves & 25mm centered rod with knurling to ensure superior grip 10 Kg – 5.6 ft (Length) with 50mm sleeves & 25mm centered rod with knurling to ensure superior grip Each set contains 20 Kg, 15 Kg, 10 Kg Power Bar 	140
23.	Olympic Style EZ CurlBar- Diameter-50 MM	<ul style="list-style-type: none"> Olympic EZ Bar with Brass Bearing to ensure free movement 50mm sleeves & 30mm centered rod with knurling to ensure superior grip Product certification: BS EN ISO 20957-2:2021 	58
24.	Flat Bench	<ul style="list-style-type: none"> Frame Size- 100 x 50 mm Flat Oval Tube, 3.0 mm thickness Finish - 2 Tone Electrostatic Powder Coat Floor Protection: High Density Rubber Foot Guard Upholstery: Cushion & Pads made of 2" High Density foam & 18mm marineplywood, covered with heavy double stitched leatherite rexine. Machine Weight: 30 Kgs Product certification: BS EN ISO 20957-2:2021 	55
25.	Plyometric Boxes (25cm, 30cm, 35cm,40cm, 45cm,	<ul style="list-style-type: none"> Metal tube construction Heavy duty to ensure safety & stability Virgin rubber covered on the top 	72

	50cm)	<ul style="list-style-type: none"> Product certification: BS EN ISO 20957-2:2021 One Set comprises of 6 numbers of plyometric boxes one each of 25cm, 30cm, 35cm, 40cm, 45cm and 50cm. Frame - 100 x 50 mm Flat Oval Tube, 2.5 mm thickness. Paint Finish - 2 Tone Electrostatic Powder Coat Cushions: 2" High Density Cushion Covered in Stitched Vinyl Floor Protection: High Density PVC Foot Guard Adjustable 4 different position for exercise variation from 30 Deg to 45 Degrees Thigh Pad position shall be adjustable 10 positions to accommodate varying userheights Machine weight: 47kgs Dimension: 53" x 31" x 22" minimum (L x W xH) Product certification: BS EN ISO 20957-2:2021 	
26.	Lower Back Bench	<ul style="list-style-type: none"> Frame - 100 x 50 mm Flat Oval Tube, 2.5mmthickness min Paint Finish - 2 Tone Electrostatic Powder Coat Cushions: 2" High Density Cushion Covered in Stitched Vinyl Floor Protection: High Density PVC Foot Guard Back Support pivot into 8 different positions for workout from 10 to -25Deg Handle is mounted on Front rollers for easy exit Machine Weight:47kgs Dimension: 68" x 31" x 35" minimum (L x W xH) Product certification: BS EN ISO 20957-2:2021 	37
27.	Abdominal Crunch Bench	<ul style="list-style-type: none"> Main Frame Size: 100mm Round Pipe with 100x50 mm Oval Frame Of 3mm Thicknessor similar dimensions with round/oval shape. Coating: 2 Coat Powder Coated System for scratch resistance and long life Counter – Hidden counter Balanced Weight for ease of use by all level 6 integrated weight storage harms to hold multiple weight plate sizes Rubber Sheet For floor protection 10 holding level with Adjustable Stopper for smooth and safe motion 20 Kg Olympic bars with Linear Bearing for smooth motion 	35
28.	Smith Machines		

		<ul style="list-style-type: none"> • Rod / Plate Holder - Chrome Plated • Machine Dimension (L x W x H) :2251*1178*2195mm • Machine weight: 192kg • Product certification: BS EN ISO 20957-2:2021 	
29.	Wall bar Max load of 200kg	<ul style="list-style-type: none"> • Made of solid wood columns attached with zinc plated strong steel tubes • Max Load capacity: 200 Kgs 	37
30.	Medicine Balls (3, 4,5, 6, 8,10 kg)	<ul style="list-style-type: none"> • Made of rubber with bounce effect • Product certification: BS EN ISO 20957-2:2021 • One Set comprises of 6 numbers of medicine balls each of 3kg, 4kg, 5kg, 6kg, 8kg, and 10kg • Motor System: AC 5.5 HP Continuous, 10.0 HP- Peak with a tolerance of +/- 10%. • Motor Drive: Rhynebus Drive System/ similar quality Drive System connecting with line filters. Must ensure protections such as low/high voltage, high temperature. With Cooling Fan. • Speed Range: 0.5-25 Km/hr, • Incline range: 25 level or 20% to 25% with a tolerance of +/- 5%. • Display Screen: 18.5 inch LED display • Display Readouts: Time, Speed, Distance, Incline, Heart Rate & Calories • Touch buttons – sensitive touch pad with quick speed, incline & program • Programs :8 exercise program (warm up, run slowly, climbing, stroll, climb mountain, track &field, reduce weight, running) 3 customized programs • Running Surface:163*59cm • Running Belt: 3 mm Thickness Commercial Grade3 play (Seigling Germany) • Deck: 25mm Commercial Grade Carbon CoatedReversible Deck • Rollers: 90 mm size for smooth and comfortable movements • Step up Height: 240mm from ground to running surface • Shock absorption – Plane damping system feel like outdoor running and natural landing • Entertainment Options: High-Power system, MP3Audio input with USB port • Safety Features: Double safety protection function with both emergency stop and softstop • Handle material - PU handrail for easy holding 	147
31.	Treadmill		19

		<ul style="list-style-type: none"> Product assembly area- 215*98*162cm (85*39*64) Additional Features: Handheld heart rate sensor Recovery pattern movement (1-8km/h) for rehabilitation lower energy consumption design, application for wider voltage range Extra large foot rail for easy handling. User Weight: 200kgs Machine weight: 245/275 kg (N.W. / G.W.) Product certification: BS EN ISO 20957-2:2021 	
32.	Spin Cycle	<ul style="list-style-type: none"> Magnetic Control Spin Bike Rear Wheel Drive for smooth and natural motion Drive System - Belt Seat - Ergonomic Seat Handel Bars - Rubber coated multi- position handlebar Adjustment Handle: Up / Down and Front / Rear Adjustment. Aluminum Seat Handle; Up / Down and Front /Rear Adjustment. Aluminum Material Drive Shaft - 45Dia Crank Thickness - 14mm Peals - Aluminum Dual-Side pedal with Strap Bottle Holders - yes Rear Wheel - Aluminum Material Resistance Control - Smooth Up and Down Resistance Control Moving Wheels Item Weight – Greater than 50kg 	22
33.		<ul style="list-style-type: none"> Elliptical trainer with handle arms. Suspension Elliptical Trainer with Rear-Wheel-DriveStride length: 21" Power: Adaptor source with powered motorized incline of 15 level Resistance Level: 20 levels Magnetic min 300WATTS, Programs: 12 Preset programs - Manual, Interval, Weight Loss, target heart rate, fit testrandom, warm up 	17

	<p>and warm down Etc</p> <ul style="list-style-type: none"> • Display: Single led dot matrix display. size 340mm*440mm • System: EMS • Display Readouts shall have Calories, Time, Speed/RPM, Pulse, Distance, Watts, incline level, resistance level • Machine extra features: hand pulse, water bottle cage, l-pad & mobile holder, USB charger, mp3 socket + speaker in display, heat protected cooling fan in display • Foot Pedal: Shall be minimum 20X30cm with cushion for smooth workout Quick keys/Display functions • Max User Weight :180 Kgs • Step up height: Shall be 30cm maximum • Machine Weight: Minimum 140kg net weight, machine dimension: 2150 x 770 x 1940 mm(84*30*76") LxVxH • Product certification: BS EN ISO 20957-2:2021 	
<p>34.</p>	<p>Shoulder Press</p> <ul style="list-style-type: none"> • Main Frame Size: 140x50 mm Oval Frame of 3 mm Thickness. Heavy metal bending technology to ensure superior strength & to eliminate joint failure. • Arm movement frame size: 50mm round pipe of 3mm thickness with unilateral movement • Weight Stack: 231 Lbs Steel Weight Stack with Bushing for smooth & noiseless workout • Cable: 5mm Steel pre lubricated Wire with PU coating. Tensile Strength of 2200LbsWeight loading capacity • Pulley - Fiberglass Reinforced Nylon Bearing Pulley with fully covered with nylon cap. • Paint Coating: 2 Coat Mat finished Powder Coated System for long and Anti scratch life • Shrouds: Material – fiberglass Fully Covered in front and back side • Shall have Water bottle / Mobile holder provision • Workout Chart shall be on the machine for easy understanding • Handles Grips: Grips shall be Non-Absorbing PVC compound retained with endAluminium Cup for longs lasting life • Handle: Each side 3 different handle position for variant users with unilateral workout arms for best result and added extra future counter balancing arms for smooth workout. • Upholstery: Cushion & Pads made of 2" High Density foam & 18mm marine plywood, covered with heavy double stitched leatherite rexine. • Seat Adjustment – Supported Hydraulic piston for Up and Down Smooth heightadjustment, and front and back seat 3 level adjustment for variant height users • Machine Dimension: Minimum 1675*1444*160 mm 	<p>14</p>

		<ul style="list-style-type: none"> • Machine weight: 250kg or more. • Product certification: BS EN ISO 20957-2:2021 • Warranty: Lifetime on frame, 02 years on all other parts including cable, pully excluding plastic parts, foam grips & Upholstery • Tolerance of +/- 10% for dimensions and weight for the specifications mentioned above shall be considered. 	
35.	Multi Station	<ul style="list-style-type: none"> • Workout Chart shall be on the machine for easy understanding. • Upholstery: Shall be High Grade double stitched • Cable: 5mm Steel Wire with PU coating, Tensile Strength of 2200Lbs Weight loading capacity • Floor protection: Rubber Sheet For floor protection • Water bottle holder in 2 sides • Station-1 • Lat pull down • Stack weight 100kg • Pulley movement: swaying type Dual closed pulley movement for smooth workout balance • Workout support: leg holder pad for heavy workout support • Handles Grips: Grips shall be Non-Absorbing PVC compound retained with end Aluminium Cup for longs lasting life • Station -2 • Triceps workout Stock weight: 100kg • Pulley movement: single closed pulley movement support for rope safe traveling • Workout support: Back pad support for avoiding the injuries • Accessories: 300kg load capacity triceps rope included • Station-3 • Seated rowing • Stack weight: 100kg • Long height durable seat support for variant height users • Pulley movement: swaying type dual pulley movement will give natural workout movement • Leg balancing support give more effective during heavy load 	11

		<ul style="list-style-type: none"> • Accessories: heavy duty D rope handle included • Station-4 • Cable column for Hi/Low Cross • Stack weight:100kg • Pulley adjustment: 32 level with saying pulley movement • Adjustable Guide Rod: Stainless steel 70*30mm pipe size • Features: • having provisions to upgrade cable cross over machine in future • Product certification: BS EN ISO 20957-2:2021 • Tolerance of +/- 10% for dimensions and weight for the specifications mentioned above shall be considered. 	
36.	Leg Press	<ul style="list-style-type: none"> • Plate Loaded Machines • Main Frame Size: 100x50 mm Oval Frame x 3mm and more Thickness Minimum • Travel Track: 60mm Diameter Polished Chrome Plated Pipe • Load carrying carriage shall have heavy duty nylon roller (Size 5 Position Adjustable Back Rest) • Dual Starting point and 2 adjustable stop points to accommodate users of all sizes • Easy to use Racking Mechanism with Aluminium handles • Large Non-Skid Foot Platform to accommodate variety of movements • 4 integrated weight storage harms to hold multiple weight plate sizes • Rubber Sheet For floor protection • Load Carrying Capacity: 500 Kgs • Dimension (L x W x H): 2693*1423*1448 mm • Product certification: BS EN ISO 20957-2:2021 - 	10
37.	Total Abdominal	<ul style="list-style-type: none"> • Main Frame Size: 100x50 mm Oval Frame x 3mm and more Thickness Minimum • Paint Finish - 2 Tone Electrostatic Powder Coat • Cushions: Dural High Density cushion covered in Snitched vinyl • Handle: High Quality Aluminium • Start the body in an upright posture with excise handles overhead to pre-stretch the abdominal muscles • Pivoting Seat Pad provides multiple abdominal excises and results in greater activation of the core 	7

		<ul style="list-style-type: none"> musculature Adjustable Seat pad be locked in place or unlocked for pivoting movement Machine weight: 144kgs Dimension: 44" x 44" x 63" (L x W x H) Product certification: BS EN ISO 20957-2:2021 	
38.	Urethane Plate	<ul style="list-style-type: none"> (2.5 Kg - 15 kg with a barbell 10 kg and 15 kg(7ft)) Frame Size- 100 x 50 mm Flat Oval Tube, 3.0 mm thickness Finish - 2 Tone Electrostatic Powder Coat Upholstery: Cushion & Pads made of 2" High Density foam & 18mm marine plywood, covered with heavy double stitched leatherite rexine. Floor Protection: High Density PVC Foot Guard State of the art innovative Incline, decline & flat adjustable With Squat Rack Machine Weight: 94 Kgs Product certification: BS EN ISO 20957-2:2021 	7
39.	Olympic Bench	<ul style="list-style-type: none"> Main Frame Size: 140x50 mm Oval Frame of 3mm Thickness: Heavy metal bending technology to ensure superior strength & to eliminate joint failure. Seat adjustment: Back seat support adjustable upto 80deg to 2deg Hack squat support: 2 pad support for shoulder and 1 pad for neck support Workout: seated leg press, calf raise & covered with hack squat Travel track: SS 304 or chromed material with dual guide rod size of 28mm or more Leg plat form: Dual or multiple position large size pad with curved pattern support for multiple leg group muscle Bearing: high grade leaner bearing Weight Stack: 308 Lbs Steel Weight Stack with Bushing for smooth workout Cable: 5mm Steel Pre-Lubricated Wire with PU coating, Tensile Strength of 2200Lbs Weight loading capacity Pulley - Fiberglass Reinforced Nylon Bearing Pulley with fully covered with nylon cap. Paint Coating: 2 Coat Mat finished Powder Coated System for long life 	10
40.	Leg Press / Hack Squat (previously mentioned as Leg Press / Calf Raise)		1

		<ul style="list-style-type: none"> • Shrouds: Material – fiberglass Fully Covered in front and back side • Shall have Water bottle / Mobile holder provision • Workout Chart shall be on the machine for easy understanding • Handles and support rod Grip: Grips shall be Non-Absorbing PVC compound retained with end Aluminium Cup for longs lasting life • Upholstery: Cushion & Pads made of 2" High Density foam & 18mm marine plywood, covered with heavy double stitched leatherite rexine. • Machine Dimension: Minimum: 1983*1022*1602mm • Machine weight: 311kg • Product certification: BS EN ISO 20957-2:2021 • Tolerance of +/- 10% for dimensions and weight for the specifications mentioned above shall be considered. 	
41.	Leg Extn. / Curl	<ul style="list-style-type: none"> • Main Frame Size: 140x50 mm Oval Frame of 3mm • Thickness: Heavy metal bending technology to ensure superior strength & to eliminate joint failure. • Weight Stack: 231Lbs Steel weight Stack with Bushing for smooth & noiseless workout • Cable: 5mm Steel pre lubricated Wire with PU coating, Tensile Strength of 2200Lbs • Pulley - Fiberglass Reinforced Nylon Bearing Pulley with fully covered with nylon cap. • Paint Coating: 2 Coat Mat finished Powder Coated System for long life • Shrouds: Material – fiberglass Fully Covered in front and back side • Adjustable options: Machine can support different height users with counter balanced system. • Handles / Grips: Grips Non-Absorbing PVC compound retained with aluminium end Cup • Adjustment: Thigh and leg pad adjustable for variant users • Upholstery: Cushion & Pads made of 2" High Density foam & 18mm marine plywood, covered with heavy double stitched leatherite rexine. • Seat adjustment: Front and back Adjustment for variant users' level of 5 adjustment machine weight: 240kgs • Product certification: BS EN ISO 20957-2:2021 	14
42.		<ul style="list-style-type: none"> • Main Frame Size: 140x50 mm Oval Frame of 3 mm Thickness. Heavy metal bending technology to ensure superior strength & to eliminate joint failure. • Weight Stack: 231Lbs minimum Steel weight Stack with Bushing for smooth workout 	13

	Prone Leg Curl	<ul style="list-style-type: none"> • Cable: 5mm Steel Wire with PU coating, Tensile Strength of 2200Lbs • Pulley - Fiberglass Reinforced Nylon Bearing Pulley with fully covered with nylon cap. • Paint Coating: 2 Coat Mat finished Powder Coated System for long life • Shrouds: Material – fiberglass Fully Covered in front and back side • Adjustable options: Machine can support different height users with counter balancesystem • Upholstery: Cushion & Pads made of 2" High Density foam & 18mm marine plywood covered with heavy double stitched leatherite rexine. • Handles / Grips: Grips Non-Absorbing PVC compound retained with aluminum endCup • Adjustment: leg pad adjustment of 8 levels • machine weight: 255Kgs • Product certification: BS EN ISO 20957-2:2021 • Tolerance of +/- 10% for dimensions and weight for the specifications mentionedabove shall be considered. 	
43.	Plate Rack	<ul style="list-style-type: none"> • Minimum maintenance is required for commercial applications. • Tube: Tubing: 2.5*50mm*1000mm square tubing, electro-welded to maximum integrity • Finish: Electrostatic powder-coated and heat cured after adhesiveness enhancement • pre-treatment for superior durability • LXVXH: 89. 1x62. 8x128. 8CM 	13
44.	20" Solid Lat Bar	<ul style="list-style-type: none"> • Made of solid steel pipe with rubber grips on both ends to ensure superior grip 	17
45.	Nylon Lat Rope	<ul style="list-style-type: none"> • Heavy duty coated nylon rope with solid rubber ends 	14
46.	Kettle Bell Dumbbell	<ul style="list-style-type: none"> • High quality Steel kettle bell covered with Hard-wing & impact resistant virgin rubber • Accurate Weight • 2X6, 4X6, 6X6, 8X6, 10X6 & 16X6 	32
47.	48" Hexa Bar	<ul style="list-style-type: none"> • 20 Kg Hex bar raised handle– alloy steel • Dimensions: 56X23X2 Inches • Hexagonal shape 	8
48.	Rubber Coated fixed Barbells with Straight &	<ul style="list-style-type: none"> • Steel coated with Hard-wing & impact resistant TPU at both ends • Won't release any smell 	14

	Curl Bars	<ul style="list-style-type: none"> accurate weight Straight 15x2, 20x2, 25x2, 30/2, Curl 10X2, 15x2,20x2 	
49.	Barbell Rack	<ul style="list-style-type: none"> Sturdy design LXWXH – 125x84x149 cm 	8
50.	7.2 ft Olympic Bar	<ul style="list-style-type: none"> 20 Kg Olympic Rod with 6 Brass Needle Bearing to ensure free movement. 50 mm sleeves & 28 mm centered rod with knurling to ensure superior grip 	22
51.	6.6 ft Olympic Bar	<ul style="list-style-type: none"> 15 Kg Olympic Rod with 6 Brass Bearing to ensure free movement. 50 mm sleeves & 25 mm centered rod with knurling to ensure superior grip 	19
52.	5.6 ft Olympic Bar	<ul style="list-style-type: none"> 10 Kg – 5.6 ft (Length) with 50mm sleeves & 25mm centered rod with knurling to ensure superior grip 	22
53.	Aerobic Stepper	<ul style="list-style-type: none"> 3 Step adjustable height Made of unbreakable fiber 	34
54.	Flowing Board/ BalanceBoard	<ul style="list-style-type: none"> Heavy duty construction Proper equipment for balance workout 	29
55.	Rowing Ergometer	<ul style="list-style-type: none"> Resistance Type: Variable resistance options, including air, magnetic, or water, for acustomizable workout experience. Dimensions: Compact and space-Saving. Weight Capacity: High weight capacity, typically around 300 pounds (136 kg) or more, to accommodate users of various sizes. Frame Material: Sturdy and durable steel or aluminum frame for stability and longevity. Monitor/Console: Advanced LCD or LED display with clear visibility, showing key metricslike time, distance, strokes, calories burned, heart rate, and more. Compatibility with fitness apps and wireless heart rate monitoring is a plus. Seat and Rail: Comfortable, ergonomically designed seat with a smooth-sliding railsystem for consistent and fluid motion. Footrests: Adjustable and secure footrests with straps to accommodate different footsizes and positions. Handlebar: Ergonomic handlebar with a comfortable grip, designed to minimize strain onwrists and hands. Programs: Pre-programmed workouts and the ability to create custom workouts based onfitness goals. Noise Level: Quiet operation, suitable for use in shared spaces or apartments. Warranty: A substantial manufacturer's warranty, typically covering frame, parts, andlabor, with a duration of at least one to three years. 	8